

# ETRVSCO

**Technical Data**  
**Van | Semi-integrated | Overcab | A-class**



**Travel  
to your  
Gusto.**

Important information regarding the selection of your motorhome

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. The technically permissible maximum laden mass...

... is a value set by the manufacturer which the vehicle may not exceed. Etrusco specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

FIAT Technical Data		CV 540 DB	CV 600 DB
Length   Width   Height <sup>1)</sup>	cm	541   205   270	599   205   270
Internal height	cm	190	190
Base chassis		Fiat Ducato 35 Light	Fiat Ducato 35 Light
Base engine  Power rating kW (BHP)		2,2 l Multijet   103 (140)	2,2 l Multijet   103 (140)
Technically permissible maximum laden mass*	kg	3.500	3.500
Mass in running order*	kg	2.637 (2.505-2.769)*	2.726 (2.590-2.862)*
Permitted number of seats (including driver)*		4	4
Manufacturer-specified mass for optional equipment*	kg	514	419

2. The mass in running order...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5 %. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Etrusco weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you. Detailed explanations on the subject of mass in running order can be found in the “Legal Information” section.

3. The permitted number of seats (including driver)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the “Legal Information” section

FIAT Technical Data		CV 540 DB	CV 600 DB
Length   Width   Height <sup>1)</sup>	cm	541   205   270	599   205   270
Internal height	cm	190	190
Base chassis		Fiat Ducato 35 Light	Fiat Ducato 35 Light
Base engine  Power rating kW (BHP)		2,2 l Multijet   103 (140)	2,2 l Multijet   103 (140)
Technically permissible maximum laden mass*	kg	3.500	3.500
Mass in running order*	kg	2.637 (2.505-2.769)*	2.726 (2.590-2.862)*
Permitted number of seats (including driver)*		4	4
Manufacturer-specified mass for optional equipment*	kg	514	419

4. The manufacturer-specified mass for optional equipment...

... is a value set by Etrusco per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the “Legal Information” section.

		weight*					
EXTERIOR							
Framed Window	E	5,0	O	O	O	O	
Rear Window on the right (passenger's side)		5,0	O	O	-	O	
Insulated + heated waste water tank		3,5	O	O	O	O	
Removable tow bar		50,0	O	O	O	O	
Awning 3,25 m <sup>2</sup>	E	24,0	O	-	-	-	
Awning 3,75 m <sup>2</sup>	E	28,5	-	O	O	-	
Awning 4,0 m <sup>2</sup>	E	30,0	-	-	-	O	
COMFORT PACKAGE							+31,5 KG*
							<ul style="list-style-type: none"><li>Fitted shelf in the shower</li><li>Window in the bathroom</li><li>Driver's cab blinds</li><li>Electric step</li><li>Fly screen door</li><li>Rotating plate for table extension on the seating area</li><li>Awning light</li></ul>

5. The additional weight of optional equipment and packages...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.



## V-Model Ford | Prices and technical data

	V 5.9 DF	V 6.6 SF
Length   Width   Height (cm)	599   214   272 <sup>1)</sup>	671   214   272 <sup>1)</sup>
Internal height (cm)	195	195
Standard engine	2,0l TDCi	2,0l TDCi
kW (hp)	96 (130)	96 (130)
Chassis	Ford Transit	Ford Transit
Mass in running order* (kg)	2556 (2428 - 2684)*	2628 (2497 - 2759)*
Manufacturer-specified mass for optional equipment* (kg)	584	520
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	235 65 R16C	235 65 R16C
Wheel base (cm)	330	375
Permitted number of seats (including driver)*	4	4
Sleeping places	2	2 - 3 OPT
Double Bed (cm)	195 x 135 - 120	
Single Beds (cm)		192 x 70   192 x 79
Bed conversion from single to double bed (cm)		192 x 192
Bed conversion seating group (cm)		175 x 75 - 45 OPT
Fridge   volume freezer (l)	78   11	78   11
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   95 <sup>3)</sup>	110 (20)   100 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT	2 - 4 OPT
Power outlets 12 V	1	1
Sockets USB	2	2
Light dimension storage flap   Storage flap W x H right   left (cm)	69 x 105   40 x 89	69 x 105   65 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## V-Model Ford | Prices and technical data

	V 6.8 SCF
Length   Width   Height (cm)	683   214   272 <sup>1)</sup>
Internal height (cm)	195
Standard engine	2,0l TDCi
kW (hp)	96 (130)
Chassis	Ford Transit
Mass in running order* (kg)	2674 (2540 - 2808)*
Manufacturer-specified mass for optional equipment* (kg)	462
Technically permissible maximum laden mass* (kg)	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>
Tyres	235 65 R16C
Wheel base (cm)	375
Permitted number of seats (including driver)*	4
Sleeping places	2 - 3 OPT
Double Bed (cm)	
Single Beds (cm)	195 x 80   197 x 70
Bed conversion from single to double bed (cm)	195 - 197 x 192
Bed conversion seating group (cm)	175 x 83 - 58 OPT
Fridge   volume freezer (l)	135   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   100 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT
Power outlets 12 V	1
Sockets USB	2
Light dimension storage flap   Storage flap W x H right   left (cm)	82 x 105   65 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

## V-Model Ford | Standard equipment

### Chassis & Engine Ford

- 2.0I TDCi Ford EcoBlue with 96 kW | 130 bhp, emission standard EURO 6e
- Start & Stop Function
- Cruise control
- Front Wheel Drive
- Driver and passenger airbag
- Anti-lock braking system (ABS) with electronic brake force distribution (EBD) incl. electronic stability programme (ESP) with traction control (TCS)
- Emergency brake assist incl. emergency brake light, hill start assist, side wind assist, safety brake assist, roll stability control
- 12" touchscreen display with SYNC 4 and Apple CarPlay | Android Auto
- Electric operated cab windows and remote central locking cab doors
- Collision Mitigation System
- Lane Keeping Aid
- Speed Sign Recognition
- Front Parking Aid
- Rear View Camera
- Fog lights
- Electronic Parking Brake
- Grill with chrome decor
- Headlamps with daytime running light
- Steel rims 16" including wheel trims
- Overhead shelf front with 2 DIN slots
- Tire pressure monitoring system
- Tire repair kit
- Electric and heated exterior mirrors
- Swiveling driver and passenger seats with 2 armrests
- Height and tilt adjustment for driver's seat and passenger seat
- FORD Frozen White
- 70l fuel tank

### Etrusco Exterior equipment

- 7 year tightness guarantee <sup>4)</sup>
- Outer roof and rear skin made from durable GRP
- Side wall outer skin made of resistant GRP
- Floor with GRP cover
- Roof thickness 33 mm, wall thickness 34 mm, floor thickness 41 mm
- Cab curtain
- Panorama roof hood over seating area
- Clear glass roof hood 40x40
- Double glazed hinged window with blackout blind and flyscreen
- Body door with ergonomic handle position inside and outside
- Fly screen door
- Electric step
- Elegant three-part rear light bracket with integrated lights
- Generous rear garage with lowered frame, securing eyes and interior lighting
- Second garage door (size depending on model)
- Rear garage payload up to 150 kg

### Etrusco Interior equipment

- Ergonomically shaped upholstery for more seating comfort
- High quality mattresses with increased comfort
- Removable and washable mattress covers
- Comfortable wooden slatted frame in all fixed beds
- Bed conversion from single bed to double bed <sup>5)</sup>
- Generous storage spaces and storage options
- Overhead lockers with soft-close system
- Tela Sand and White furniture finish
- Nautic Breeze floor
- Isofix child seat attachment for Couch-Couch seating area <sup>6)</sup>

### Installation & Technology

- LED outdoor light
- LED living room light
- LED lighting integrated under the overhead lockers
- Indirect LED lighting in the room divider
- Powerful, maintenance-free body battery (95 Ah)
- On-board control panel
- Electric charger for body and vehicle battery 12 V | 18 A
- CEE external connection for 230 V with automatic circuit breaker
- FI circuit breaker
- USB socket

### Heating | Gas Supply

- Storage space for 2 gas cylinders with max. 11 kg filling weight
- Combi 4 gas heating
- Gas shut-off cocks are easily accessible and centrally located

### Kitchen | Water Supply

- Ergonomically arranged kitchen with a generous work surface
- 2-burner gas cooker with piezo ignition and glass cover
- Spacious drawers with Servo-Soft in the kitchen block
- Refrigerator 78 l with 11 l freezer compartment <sup>7)</sup>
- 135l compressor refrigerator with 15 freezer compartment <sup>6)</sup>
- Water tank 110 l, waste water tank 100 l (V 5.9 DF: 95 l)
- Bin

### Bathroom

- Vario-bathroom
- Shower room cladding
- Roof hood with integrated flyscreen
- Large mirror surfaces
- Clothes rail in the wet room

### Textile combination

- Upholstery Aosta (grey)



## V-Model Ford | Optional Extras

	Additional weight*	V 5.9 DF	V 6.6 SF	V 6.8 SCF
<b>Chassis &amp; Engine Ford</b>				
2.0 TDCi Ford Ecoblue 121 kw (165 bhp) - EURO 6e	0	○	○	○
Automatic transmission	55	○	○	○
FORD 16" alloy wheels, black	-4	□	□	□
<b>Etrusco Exterior equipment</b>				
Cab Sun Roof	7	□	□	□
Insulated waste water tank	2	□	□	□
<b>Etrusco Interior equipment</b>				
Bed conversion in the seating area (single bed)	5	-	○	○
Carpet (Living Area)	7	○	○	○
Gas oven	14	○	○	○
Isofix child seat attachment for rear seat	4	○	○	•
<b>Installation &amp; Technology</b>				
Combi 6 E Heater (with electric immersion heater)	2	○	○	○
Electric floor heating in the accessible area	5	○	○	○
12 V TV pre-cabing including flat screen holder	3	□	□	□
Cable preparation for solar system	1	□	□	□
Cable preparation for rooftop air conditioner	5	□	□	□
<b>Packages</b>				
Chassis Package	18	□	□	□
Comfort Package	6.95	□	□	□
Design Package type X	0	□	□	□
Complete Selection	69.95	○	-	-
Complete Selection	73.95	-	○	○



### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

## V-Model Ford | Optional Extras

### Others

Registration documents	○	Ⓟ	Ⓟ	Ⓟ
------------------------	---	---	---	---



□ Available in package   △ Not known at the time of publication   ○ Option   Ⓟ mandatory   - Not possible



### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

V-Model Ford | Packs

CHASSIS PACKAGE + 18 KG\*

- Automatic Air Conditioner
- Leather steering wheel
- Locking Glovebox
- Headlights with static cornering lights
- Painted bumper

COMFORT PACKAGE + 6.95 KG\*

- Mirror and coat hooks
- Wooden slatted shower
- Cab seats incl. covers
- Socket in the kitchen block
- Socket in the garage

DESIGN PACKAGE TYPE X + 0 KG\*

- type X lettering | design interior and exterior
- Overhead locker door design in high gloss magnolia
- Upholstery Emilia (beige)

COMPLETE SELECTION + 69.95 KG\*

- Chassis Package
- Comfort Package
- Design Package type X
- FORD 16" alloy wheels, black
- Cab Sun Roof
- Framed window
- Insulated waste water tank
- Awning (manual), 3,5 m, exterior paint anthracite
- 12 V TV pre-cabling including flat screen holder
- Cable preparation for rooftop air conditioner
- Cable preparation for solar system
- Upholstery Emilia (beige)

COMPLETE SELECTION + 73.95 KG\*

- Chassis Package
- Comfort Package
- Design Package type X
- FORD 16" alloy wheels, black
- Cab Sun Roof
- Framed window
- Insulated waste water tank
- Awning (manual), 4 m, exterior paint anthracite
- 12 V TV pre-cabling including flat screen holder
- Cable preparation for rooftop air conditioner
- Cable preparation for solar system
- Upholstery Emilia (beige)



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Ford | Prices and technical data

	T 6.9 SF	T 7.3 SF
Length   Width   Height (cm)	698   232   287 <sup>1)</sup>	734   232   287 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,0l TDCi	2,0l TDCi
kW (hp)	96 (130)	96 (130)
Chassis	Ford Transit	Ford Transit
Mass in running order* (kg)	2799 (2659 - 2939)*	2858 (2715 - 3001)*
Manufacturer-specified mass for optional equipment* (kg)	341	278
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	235 65 R16C	235 65 R16C
Wheel base (cm)	375	395
Permitted number of seats (including driver)*	4	4
Sleeping places	2 - 5 OPT	2 - 5 OPT
Single Beds (cm)	2x 195 x 80	210 x 80   198 x 80
Bed conversion from single to double bed (cm)	195 x 210	210 - 198 x 210
Queens bed (cm)		
Bed conversion seating group (cm)	200 x 75 - 60 OPT	200 x 75 - 60 OPT
Pull-down bed (cm)	195 x 141 - 109 OPT	195 - 141 x 113 OPT
Fridge   volume freezer (l)	137   15	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   100 <sup>3)</sup>	110 (20)   100 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT	3 - 5 OPT
Power outlets 12 V	1	1
Sockets USB	2	2
Light dimension storage flap   Storage flap W x H right   left (cm)	84 x 110   75 x 80	94 x 110   74 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Ford | Prices and technical data

	T 7.3 SCF	T 7.3 QCF
Length   Width   Height (cm)	734   232   287 <sup>1)</sup>	734   232   287 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,0l TDCi	2,0l TDCi
kW (hp)	96 (130)	96 (130)
Chassis	Ford Transit	Ford Transit
Mass in running order* (kg)	2868 (2725 - 3011)*	2865 (2722 - 3008)*
Manufacturer-specified mass for optional equipment* (kg)	268	271
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	235 65 R16C	235 65 R16C
Wheel base (cm)	395	395
Permitted number of seats (including driver)*	4	4
Sleeping places	2 - 5 OPT	2 - 5 OPT
Single Beds (cm)	206 x 76   207 x 76	
Bed conversion from single to double bed (cm)	206 - 207 x 210	
Queens bed (cm)		192 x 148
Bed conversion seating group (cm)	200 x 70 OPT	200 x 70 OPT
Pull-down bed (cm)	195 x 141 - 109 OPT	195 x 141 - 109 OPT
Fridge   volume freezer (l)	137   15	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   100 <sup>3)</sup>	110 (20)   100 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT	2 - 4 OPT
Power outlets 12 V	1	1
Sockets USB	2	2
Light dimension storage flap   Storage flap W x H right   left (cm)	94 x 110   74 x 80	94 x 110   55 x 69
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Ford | Standard equipment

### Chassis & Engine Ford

- 2.0l TDCi Ford EcoBlue with 96 kW | 130 bhp, emission standard EURO 6e
- Start & Stop Function
- Cruise control
- Front Wheel Drive
- Driver and passenger airbag
- Anti-lock braking system (ABS) with electronic brake force distribution (EBD) incl. electronic stability programme (ESP) with traction control (TCS)
- Emergency brake assist incl. emergency brake light, hill start assist, side wind assist, safety brake assist, roll stability control
- 12" touchscreen display with SYNC 4 and Apple CarPlay | Android Auto
- Electric operated cab windows and remote central locking cab doors
- Collision Mitigation System
- Lane Keeping Aid
- Speed Sign Recognition
- Front Parking Aid
- Rear View Camera
- Fog lights
- Electronic Parking Brake
- Grill with chrome decor
- Headlamps with daytime running light
- Steel rims 16" including wheel trims
- Overhead shelf front with 2 DIN slots
- Tire repair kit
- Tire pressure monitoring system
- Electric and heated exterior mirrors
- Swiveling driver and passenger seats with 2 armrests
- Height and tilt adjustment for driver's seat and passenger seat
- FORD Frozen White
- 70l fuel tank

### Etrusco Exterior equipment

- 7 year tightness guarantee <sup>4)</sup>
- Outer roof and rear skin made from durable GRP
- Side wall outer skin made of resistant GRP
- Floor with GRP cover
- Roof thickness 33 mm, wall thickness 34 mm, floor thickness 41 mm
- Elegant three-part rear light bracket with integrated lights
- Cab curtain
- Panorama roof hood over kitchen
- Clear glass roof hood 40x40
- Double glazed hinged window with blackout blind and flyscreen (except for bathroom)
- Large body door with ergonomic handle position inside and outside
- Fly screen door
- Coupé entry
- Second garage door (size depending on model)
- Generous rear garage with lowered frame, securing eyes and interior lighting (depending on the model)
- Rear garage payload up to 150 kg

### Etrusco Interior equipment

- Ergonomically shaped upholstery for more seating comfort
- Cosy lounge seating group with a freestanding table that folds down <sup>8)</sup>
- Table extension <sup>9)</sup>
- High quality mattresses with increased comfort
- Removable and washable mattress covers
- Bed conversion from single bed to double bed <sup>10)</sup>
- Wooden slatted frame in all fixed beds for increased comfort
- Generous storage spaces and storage options
- Overhead lockers with soft-close system
- Tela Sand and White furniture finish
- Nautic Breeze floor
- Isofix child seat attachment for Couch-Couch seating area <sup>8)</sup>

### Installation & Technology

- LED lighting integrated under the overhead lockers
- Indirect LED lighting in the room divider
- LED outdoor light
- LED living room light
- Powerful, maintenance-free body battery (95 Ah)
- On-board control panel
- Electric charger for body and vehicle battery 12 V | 18 A
- CEE external connection for 230 V with automatic circuit breaker
- FI circuit breaker
- USB socket

### Heating | Gas Supply

- Storage space for 2 gas cylinders with max. 11 kg filling weight
- Combi 4 heating with integrated 10 l boiler
- Gas shut-off cocks are easily accessible and centrally located

### Kitchen | Water Supply

- Ergonomically arranged kitchen with a generous work surface
- Spacious drawers with Servo-Soft in the kitchen block
- 3-burner gas cooker with 12 V ignition and glass cover <sup>9)</sup>
- 2-burner gas cooker with 12 V ignition and glass cover <sup>8)</sup>
- Large round sink made of stainless steel with cover
- Flex rail system with 2 hooks
- Water tank 110 l, waste water tank 100 l
- Refrigerator 137 l with 15 l freezer compartment
- Bin

### Bathroom

- Vario-bathroom <sup>11)</sup>
- Spacious bathroom with separate shower opposite <sup>12)</sup>
- Cassette toilet with electric pump and swivel seat
- Shower room cladding
- Roof hood with integrated flyscreen
- Large mirror surfaces
- Clothes rail in the wet room

### Textile combination

- Upholstery Aosta (grey)

## T-Model Ford | Optional Extras

	Additional weight*	T 6.9 SF	T 7.3 SF	T 7.3 SCF	T 7.3 QCF
<b>Chassis &amp; Engine Ford</b>					
2.0 TDCi Ford Ecoblue 121 kw (165 bhp) - EURO 6e	0	O	O	O	O
FORD 16" alloy wheels, black	-4	□	□	□	□
Automatic transmission	55	O	O	O	O
<b>Etrusco Exterior equipment</b>					
Rear Styling Panels	4	□	□	□	□
Framed window	5	□	□	□	□
Insulated waste water tank	2	□	□	□	□
Cab Sun Roof	7	□	□	□	□
<b>Etrusco Interior equipment</b>					
Lift-up bed with clima plux elements <sup>13)</sup>	47	O	O	O	O
Bed conversion in the seating area (single bed)	5	O	O	O	O
Electrically height-adjustable queen-size bed	30	-	-	-	O
5th seat on the side bench with seat belt (against the direction of travel) <sup>14) 15) 16)</sup>	15	O	-	-	-
Carpet (Living Area)	7	O	O	O	O
Isofix child seat attachment for rear seat	4	O	O	•	•
Gas oven	14	O	O	O	O
<b>Installation &amp; Technology</b>					
Combi 6 E Heater (with electric immersion heater)	2	O	O	O	O
Electric floor heating in the accessible area	5	O	O	O	O
Cable preparation for solar system	1	□	□	□	□
Cable preparation for rooftop air conditioner	5	□	□	□	□
12 V TV pre-cabling including flat screen holder	3	□	□	□	□
<b>Packages</b>					
Chassis Package	18	□	□	□	□
Comfort Package	6.95	□	□	□	□



### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

## T-Model Ford | Optional Extras

Design Package type X	0	□	□	□	□
Complete Selection	47.95	O	O	O	O
<b>Others</b>					
Registration documents	0	Ⓟ	Ⓟ	Ⓟ	Ⓟ



□ Available in package   Δ Not known at the time of publication   O Option   Ⓟ mandatory   - Not possible



### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Ford | Packs

### CHASSIS PACKAGE

+ 18 KG\*

- Automatic Air Conditioner
- Leather steering wheel
- Locking Glovebox
- Headlights with static cornering lights
- Painted bumper

### COMFORT PACKAGE

+ 6.95 KG\*

- Mirror and coat hooks
- Wooden slatted shower
- Cab seats incl. covers
- Socket in the kitchen block
- Socket in the garage

### DESIGN PACKAGE TYPE X

+ 0 KG\*

- type X lettering | design interior and exterior
- Overhead locker door design in high gloss magnolia
- Upholstery Emilia (beige)

### COMPLETE SELECTION

+ 47.95 KG\*

- Chassis Package
- Comfort Package
- Design Package type X
- FORD 16" alloy wheels, black
- Cab Sun Roof
- Framed window
- Insulated waste water tank
- Rear Styling Panels
- Cable preparation for solar system
- 12 V TV pre-cabing including flat screen holder
- Cable preparation for rooftop air conditioner
- Upholstery Emilia (beige)



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal Information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Fiat | Prices and technical data

T 5900 FB

T 6900 SB

Length   Width   Height (cm)	595   232   295 <sup>1)</sup>	695   232   295 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,2l Mjet	2,2l Mjet
kW (hp)	103 (140)	103 (140)
Chassis	Fiat Ducato	Fiat Ducato
Mass in running order* (kg)	2665 (2532 - 2798)*	2834 (2692 - 2976)*
Manufacturer-specified mass for optional equipment* (kg)	475	286
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	225 75 R16CP	225 75 R16CP
Wheel base (cm)	345	380
Permitted number of seats (including driver)*	4	4
Sleeping places	2 - 3 OPT	2 - 5 OPT
Single Beds (cm)		200 x 80   195 x 80
Bed conversion from single to double bed (cm)		200 - 195 x 210
Queens bed (cm)		
French Bed (cm)	194 x 133	
Bed conversion seating group (cm)		200 x 60 OPT
Pull-down bed (cm)	200 x 100 - 70 OPT	200 x 140 - 123 OPT
Fridge   volume freezer (l)	78   11	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	3 - 5 OPT	3 - 5 OPT
Power outlets 12 V	1	1
Sockets USB	3	4
Light dimension storage flap   Storage flap W x H right   left (cm)	65 x 65	95 x 110   75 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Fiat | Prices and technical data

T 7300 SB

T 7400 SB

Length   Width   Height (cm)	730   232   295 <sup>1)</sup>	740   232   295 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,2l Mjet	2,2l Mjet
kW (hp)	103 (140)	103 (140)
Chassis	Fiat Ducato	Fiat Ducato
Mass in running order* (kg)	2916 (2770 - 3062)*	2945 (2798 - 3092)*
Manufacturer-specified mass for optional equipment* (kg)	211	176
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	225 75 R16CP	225 75 R16CP
Wheel base (cm)	404	404
Permitted number of seats (including driver)*	4	4
Sleeping places	2 - 5 OPT	2 - 5 OPT
Single Beds (cm)	196 x 80   210 x 80	210 x 80   205 x 80
Bed conversion from single to double bed (cm)	196 - 210 x 210	210 - 205 x 210
Queens bed (cm)		
French Bed (cm)		
Bed conversion seating group (cm)	200 x 85 OPT	200 x 60 OPT
Pull-down bed (cm)	200 x 140 - 123 OPT	200 x 140 - 123 OPT
Fridge   volume freezer (l)	137   15	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT	3 - 5 OPT
Power outlets 12 V	1	1
Sockets USB	3	4
Light dimension storage flap   Storage flap W x H right   left (cm)	95 x 110   75 x 80	95 x 110   75 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left




### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.





## T-Model Fiat | Prices and technical data

	T 7400 SBC	T 7400 QBC
Length   Width   Height (cm)	740   232   295 <sup>1)</sup>	740   232   295 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,2l Mjet	2,2l Mjet
kW (hp)	103 (140)	103 (140)
Chassis	Fiat Ducato	Fiat Ducato
Mass in running order* (kg)	2945 (2798 - 3092)*	2951 (2803 - 3099)*
Manufacturer-specified mass for optional equipment* (kg)	176	170
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	225 75 R16CP	225 75 R16CP
Wheel base (cm)	404	404
Permitted number of seats (including driver)*	4	4
Sleeping places	2 - 5 OPT	2 - 5 OPT
Single Beds (cm)	204 x 80   208 x 80	
Bed conversion from single to double bed (cm)	204 - 208 x 210	
Queens bed (cm)		198 x 148
French Bed (cm)		
Bed conversion seating group (cm)	195 x 90 OPT	195 x 90 OPT
Pull-down bed (cm)	200 x 140 - 123 OPT	200 x 140 - 123 OPT
Fridge   volume freezer (l)	137   15	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT	2 - 4 OPT
Power outlets 12 V	1	1
Sockets USB	3	3
Light dimension storage flap   Storage flap W x H right   left (cm)	95 x 110   75 x 80	95 x 110   75 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option    Δ Not known at the time of publication    - Not possible    r right    l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Fiat | Standard equipment

### Chassis & Engine Fiat

- FIAT 2,2 I Multijet - 103 kW (140 bhp) - EURO 6e - manual transmission
- Start & Stop Function
- Broad gauge chassis
- Disc brakes, rear and front axle stabiliser, convection heating, tachometer
- Power steering, height-adjustable headlights, immobiliser, 3-point seat belt with seat belt reminder (for Captain Chairs)
- ABS, EBD (electronic Brake force distribution), ESP (electronic Stability program)
- ESC (electronic Stability control) including ASR (Anti-slip regulation) and hillholder (Hill start assistant)
- CWA (Crosswind Assistant) and PCB (Multi-collision brake)
- Traction+, Hill Descent Control
- Comfortable driving characteristics thanks to rear and front axle stabilisers
- Cruise Control
- Front Wheel Drive
- Electric and heated exterior mirrors
- Daytime running lights integrated in the standard headlights
- Black frame headlights
- Fog lights
- FIAT 16" alloy wheels black matt Light Chassis
- Front bumper painted in body color
- Skid plate black
- Driver and passenger airbag
- Dashboard with applications (Techno-Trim)
- Manual cab air conditioning
- Electric windows and central locking in the cab
- Steering wheel and gear knob in leather
- Steering wheel remote control for radio
- Radio preparation with speakers
- DAB radio antenna
- Cup holder in the center console
- USB socket (double)
- Fix & Go kit breakdown set

- Driver | passenger rotatable seat with double armrests
- Height and tilt adjustment for the driver's and passenger seat
- 60l fuel tank

### Etrusco Exterior equipment

- 7 year tightness guarantee <sup>4)</sup>
- Outer roof and rear skin made from durable GRP
- Floor with GRP cover
- Roof thickness 33 mm, wall thickness 34 mm, floor thickness 41 mm
- Side wall outer skin made of smooth aluminum sheet
- Elegant three-part rear light bracket with integrated lights
- Cab curtain
- Panorama roof hood over seating area
- Clear glass roof hood 40x40
- Double glazed hinged window with blackout blind and flyscreen (except for bathroom)
- Large body door with window and ergonomic handle position inside and outside
- Fly screen door
- Coupé entry
- Generous rear garage with lowered frame, securing eyes and interior lighting (depending on the model)
- Second garage door (size depending on model) <sup>17)</sup>
- Rear garage payload up to 150 kg

### Etrusco Interior equipment

- Ergonomically shaped upholstery for more seating comfort
- Cosy L-shaped seating group with freestanding, rotatable and swiveling table <sup>18)</sup>
- Cosy lounge seating group with a freestanding table that folds down <sup>19)</sup>
- Table extension <sup>20)</sup>
- High quality mattresses with increased comfort
- Removable and washable mattress covers
- Bed conversion from single bed to double bed <sup>21)</sup>
- High quality rear bed application with LED lighting
- Wooden slatted frame in all fixed beds for increased comfort
- Generous storage spaces and storage options
- Overhead lockers with soft-close system
- Tela Sand and White furniture finish
- Nautic Breeze floor

### Installation & Technology

- LED lighting integrated under the overhead lockers
- Indirect LED lighting in the room divider
- LED outdoor light
- LED living room light
- Powerful, maintenance-free body battery (95 Ah)
- On-board control panel
- Electric charger for body and vehicle battery 12 V | 18 A
- CEE external connection for 230 V with automatic circuit breaker
- FI circuit breaker
- USB socket

### Heating | Gas Supply

- Storage space for 2 gas cylinders with max. 11 kg filling weight
- Combi 6 gas heating with integrated 10 l boiler

### Kitchen | Water Supply

- Ergonomically arranged kitchen with a generous work surface
- Spacious drawers with Servo-Soft in the kitchen block
- Indirect LED lighting under the worktop
- 2-burner gas cooker with 12 V ignition and glass cover <sup>22)</sup>
- 3-burner gas cooker with 12 V ignition and glass cover <sup>23)</sup>
- Large round sink made of stainless steel with cover
- Flex rail system with 2 hooks
- Water tank including boiler 110 l, waste water tank 90 l
- Refrigerator 78 l with 11 l freezer compartment <sup>24)</sup>
- Refrigerator 137 l with 15 l freezer compartment <sup>17)</sup>
- Bin

### Bathroom

- Vario-bathroom <sup>25)</sup>
- Spacious bathroom with separate shower opposite <sup>26)</sup>
- Bathroom with bench toilet and integrated shower room <sup>24)</sup>
- Cassette toilet with electric pump and swivel seat <sup>17)</sup>
- Shower room cladding
- Roof hood with integrated flyscreen
- Large mirror surfaces
- Clothes rail in the wet room

### Textile combination

- Upholstery Aosta (grey)



### T-Model Fiat | Optional Extras

	Additional weight*	T 5900 FB	T 6900 SB	T 7300 SB	T 7400 SB	T 7400 SBC	T 7400 QBC
<b>Chassis &amp; Engine Fiat</b>							
Fiat Ducato 2,2 l Multi-Jet - 103 kW   140 bhp - automatic transmission (light chassis) <sup>27)</sup>	60	O	O	O	O	O	O
Fiat Ducato 2,2 l Multi-Jet - 132 kW   180 bhp - automatic transmission (light chassis) <sup>27)</sup>	60	-	O	O	O	O	O
<b>Increase of load capacity</b>							
Weight increase to 3,650 kg (without changing the chassis)	0	O	O	O	O	O	O
<b>Etrusco Exterior equipment</b>							
Rear Styling Panels	4	□	□	□	□	□	□
Framed window	5	□	□	□	□	□	□
Insulated waste water tank	2	□	□	□	□	□	□
Cab Sun Roof	7	□	□	□	□	□	□
<b>Etrusco Interior equipment</b>							
Bed conversion in the seating area (single bed)	5	-	O	O	O	O	O
Electric Lift-up bed <sup>13)</sup>	47	O	O	O	O	O	O
Electrically height-adjustable queen-size bed	30	-	-	-	-	-	O
5th seat on the side bench with seat belt (against the direction of travel) <sup>16) 14)</sup>	15	-	O	O	O	-	-
Carpet (Living Area)	7	O	O	O	O	O	O
Isofix child seat attachment for rear seat	4	O	O	O	O	-	-
Isofix child seat attachment for Couch-Couch seating area	2	-	-	-	-	O	O
Gas oven	14	O	O	O	O	O	O
<b>Installation &amp; Technology</b>							
Combi 6 E Heater (with electric immersion heater)	2	O	O	O	O	O	O
Electric floor heating in the accessible area	5	O	O	O	O	O	O
12 V TV pre-cabling including flat screen holder	3	□	□	□	□	□	□



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

### T-Model Fiat | Optional Extras

	Additional weight*	T 5900 FB	T 6900 SB	T 7300 SB	T 7400 SB	T 7400 SBC	T 7400 QBC
Cable preparation for reversing camera	1	□	□	□	□	□	□
Cable preparation for solar system	1	□	□	□	□	□	□
Cable preparation for rooftop air conditioner	5	□	□	□	□	□	□
<b>Packages</b>							
Comfort Package <sup>28)</sup>	6.95	□	□	□	□	□	□
Design Package type X	0	□	□	□	□	□	□
Complete Selection	41.75	O	O	O	O	O	O
<b>Others</b>							
Registration documents	0	Ⓢ	Ⓢ	Ⓢ	Ⓢ	Ⓢ	Ⓢ

□ Available in package   △ Not known at the time of publication   O Option   Ⓢ mandatory   - Not possible



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Fiat | Packs

### COMFORT PACKAGE + 6.95 KG\*

- Mirror and coat hooks
- Wooden slatted shower
- Cab seats incl. covers
- Socket in the kitchen block
- Socket in the garage

### DESIGN PACKAGE TYPE X + 0 KG\*

- type X lettering | design interior and exterior
- Overhead locker door design in high gloss magnolia
- Upholstery Emilia (beige)

### COMPLETE SELECTION + 41.75 KG\*


- Comfort Package
- Design Package type X
- Multimedia Package Compact
- Framed window
- Cab Sun Roof
- Rear Styling Panels
- Insulated waste water tank
- Cable preparation for solar system
- Cable preparation for rooftop air conditioner
- 12 V TV pre-cabling including flat screen holder
- Cable preparation for reversing camera
- Upholstery Emilia (beige)



#### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Base | Prices and technical data

	T 6.9 SB	T 6.9 BB
Length   Width   Height (cm)	699   232   295 <sup>1)</sup>	699   232   295 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,2l Mjet	2,2l Mjet
kW (hp)	103 (140)	103 (140)
Chassis	Fiat Ducato	Fiat Ducato
Mass in running order* (kg)	2786 (2647 - 2925)*	2793 (2653 - 2933)*
Manufacturer-specified mass for optional equipment* (kg)	329	342
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	215/70 R15CP	215/70 R15CP
Wheel base (cm)	380	380
Permitted number of seats (including driver)*	4	4
Sleeping places	2 - 5 OPT	4 - 6 OPT
Bunk Beds (cm)		210 x 90   206 x 87
Single Beds (cm)	207 x 80   200 x 80	
Bed conversion from single to double bed (cm)	207 - 200 x 210	
Bed conversion seating group (cm)	200 x 60 OPT	210 x 115 - 103
Pull-down bed (cm)	193 x 140 - 113 OPT	193 x 140 - 113 OPT
Fridge   volume freezer (l)	135   15	135   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	1 - 3 OPT	1 - 3 OPT
Power outlets 12 V	1	1
Sockets USB	3	1
Light dimension storage flap   Storage flap W x H right   left (cm)	95 x 110   75 x 80 OPT	65 x 114   59 x 100 OPT
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Base | Standard equipment

### Chassis & Engine Fiat

- FIAT 2,2 l Multijet - 103 kW (140 bhp) - EURO 6e - manual transmission
- Start & Stop Function
- Broad gauge chassis
- Disc brakes, rear and front axle stabiliser, convection heating, tachometer
- Power steering, height-adjustable headlights, immobiliser, 3-point seat belt with seat belt reminder (for Captain Chairs)
- ABS, EBD (electronic Brake force distribution), ESP (electronic Stability program)
- ESC (electronic Stability control) including ASR (Anti-slip regulation) and hillholder (Hill start assistant)
- CWA (Crosswind Assistant) and PCB (Multi-collision brake)
- Traction+, Hill Descent Control
- Cruise Control
- Front Wheel Drive
- Electric and heated exterior mirrors
- Daytime running lights integrated in the standard headlights
- Black frame headlights
- Steel rims 15" incl. wheel covers
- Driver and passenger airbag
- On-board computer including outside temperature display
- Manual cab air conditioning
- Electric windows and central locking in the cab
- Steering wheel remote control for radio
- Radio preparation with speakers
- DAB radio antenna
- Cup holder in the center console
- USB socket (double)
- Fix & Go kit breakdown set
- Driver | passenger rotatable seat in living area fabric with double armrests <sup>29)</sup>
- Driver | passenger rotatable seat with double armrests <sup>30)</sup>
- Height and tilt adjustment for the driver's and passenger seat
- 60l fuel tank

### Etrusco Exterior equipment

- 7 year tightness guarantee <sup>4)</sup>
- Outer roof and rear skin made from durable GRP
- Roof thickness 33 mm, wall thickness 34 mm, floor thickness 41 mm
- Side wall outer skin made of resistant GRP
- Floor with GRP cover
- Elegant three-part rear light bracket with integrated lights
- Cab curtain
- Clear glass roof hood 40x40
- Roof hood 40x40 in the sleeping area with flyscreen and blackout blinds
- Double glazed hinged window with blackout blind and flyscreen (except for bathroom)
- Large body door with ergonomic handle position inside and outside
- Coupé entry
- Generous rear garage with lowered frame, securing eyes and interior lighting (depending on the model)
- Rear garage payload up to 150 kg

### Etrusco Interior equipment

- Ergonomically shaped upholstery for more seating comfort
- High quality mattresses with increased comfort
- Removable and washable mattress covers
- Bed conversion from single bed to double bed <sup>29)</sup>
- Bed conversion in seating area <sup>30)</sup>
- Wooden slatted frame in all fixed beds for increased comfort
- Overhead lockers with soft-close system
- Generous storage spaces and storage options
- Tela Sand and White furniture finish
- Nautic Breeze floor

### Installation & Technology

- LED lighting integrated under the overhead lockers
- LED living room light
- LED outdoor light
- Powerful, maintenance-free body battery (95 Ah)
- On-board control panel
- Electric charger for body and vehicle battery 12 V | 18 A
- CEE external connection for 230 V with automatic circuit breaker
- FI circuit breaker
- USB socket

### Heating | Gas Supply

- Storage space for 2 gas cylinders with max. 11 kg filling weight
- Combi 4 heating with integrated 10 l boiler
- Gas shut-off cocks are easily accessible and centrally located

### Kitchen | Water Supply

- Ergonomically arranged kitchen with a generous work surface
- Spacious drawers with Servo-Soft in the kitchen block
- 2-burner gas cooker with 12 V ignition and glass cover
- Water tank including boiler 110 l, waste water tank 90 l
- 135l compressor refrigerator with 15 freezer compartment

### Bathroom

- Vario-bathroom <sup>29)</sup>
- Spacious bathroom with separate shower opposite <sup>30)</sup>
- Cassette toilet with electric pump and swivel seat
- Shower room cladding
- Roof hood with integrated flyscreen

### Textile combination

- Upholstery Sicilia (black|grey)



### T-Model Base | Optional Extras

	Additional weight*	T 6.9 SB	T 6.9 BB
<b>Chassis &amp; Engine Fiat</b>			
Fiat Ducato 2,2 l Multi-Jet - 103 kW   140 bhp - automatic transmission (light chassis) <sup>31)</sup>	60	O	O
Fiat Ducato 2,2 l Multi-Jet - 132 kW   180 bhp - automatic transmission (light chassis) <sup>31)</sup>	60	O	O
Painted bumper incl. fog lights and Skid Plate in black	2	O	O
<b>Increase of load capacity</b>			
Weight increase to 3,650 kg (without changing the chassis)	0	O	O
<b>Etrusco Exterior equipment</b>			
Rear Styling Panels	4	O	O
Framed window	5	O	O
Insulated waste water tank	2	O	O
Cab Sun Roof	7	O	O
Second garage door (size depending on model)	3	□	□
<b>Etrusco Interior equipment</b>			
Bed conversion in the seating area (single bed)	5	O	-
Lift-up bed with clima plux elements <sup>32)</sup>	47	O	O
5th seat on the side bench with seat belt (against the direction of travel) <sup>16)</sup> <sup>14)</sup>	15	O	-
Safety package: 2 headrests and 2 lap belts middle. Seat against the direction of travel (permissible number of people results from vehicle weight) <sup>14)</sup>	8	-	O
Carpet (Living Area)	7	O	O
Isofix child seat attachment for rear seat	4	O	O
Gas oven	14	O	O
<b>Installation &amp; Technology</b>			
Combi 6 E Heater (with electric immersion heater)	2	O	O
12 V TV pre-cabling including flat screen holder	3	O	O
Cable preparation for reversing camera	1	O	O
Cable preparation for solar system	1	O	O



#### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

### T-Model Base | Optional Extras

Cable preparation for rooftop air conditioner	5	O	O
<b>Packages</b>			
Chassis Design Package (incl. 16" alloy wheels black matt)	0.9	O	O
Chassis Design Package (incl. 16" alloy wheels bicolor) <sup>33)</sup>	0.9	O	O
Comfort Package	8.75	O	O
Design Package type X	0	O	O
<b>Textile combination</b>			
Upholstery Aosta (grey)	2.4	O	O
<b>Others</b>			
Registration documents	0	®	®

□ Available in package   Δ Not known at the time of publication   O Option   ® mandatory   - Not possible



#### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## T-Model Base | Packs

### CHASSIS DESIGN PACKAGE (INCL. 16" ALLOY WHEELS BLACK MATT) + 0.9 KG\*

- Steering wheel and gear knob in leather
- Dashboard with applications (Techno-Trim)
- FIAT 16" alloy wheels black matt Light Chassis

### CHASSIS DESIGN PACKAGE (INCL. 16" ALLOY WHEELS BICOLOR) + 0.9 KG\*

- Steering wheel and gear knob in leather
- Dashboard with applications (Techno-Trim)
- FIAT 16" alloy wheels bicolor Heavy Chassis

### COMFORT PACKAGE + 8.75 KG\*

- Second garage door (size depending on model)
- Fly screen door
- Coat hooks
- Socket in the kitchen block
- Socket in the garage
- Wooden slatted shower

### DESIGN PACKAGE TYPE X + 0 KG\*

- type X lettering | design interior and exterior
- Overhead locker door design in high gloss magnolia
- Upholstery Emilia (beige)




\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal Information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.





### A-Model Fiat | Prices and technical data

#### A 7300 DB

Length   Width   Height (cm)	725   232   310 <sup>1)</sup>
Internal height (cm)	210
Standard engine	2,2l Mjet
kW (hp)	103 (140)
Chassis	Fiat Ducato
Mass in running order* (kg)	2917 (2771 - 3063)*
Manufacturer-specified mass for optional equipment* (kg)	210
Technically permissible maximum laden mass* (kg)	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>
Tyres	225/75 R16CP
Wheel base (cm)	404
Permitted number of seats (including driver)*	4
Sleeping places	6
Double Bed (cm)	212 x 149 - 129
Bed conversion seating group (cm)	180 x 100
Bed size overcab	211 x 159
Fridge   volume freezer (l)	78   11   156   29 OPT
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	2 - 4 OPT
Power outlets 12 V	1
Sockets USB	1
Light dimension storage flap   Storage flap W x H right   left (cm)	105 x 120   105 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg

OPT Option    Δ Not known at the time of publication    - Not possible    r right    l left



#### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

## A-Model Fiat | Standard equipment

### Chassis & Engine Fiat

- FIAT 2,2 l Multijet - 103 kW (140 bhp) - EURO 6e - manual transmission
- Start & Stop Function
- Broad gauge chassis
- Disc brakes, rear and front axle stabiliser, convection heating, tachometer
- Power steering, height-adjustable headlights, immobiliser, 3-point seat belt with seat belt reminder (for Captain Chairs)
- ABS, EBD (electronic Brake force distribution), ESP (electronic Stability program)
- ESC (electronic Stability control) including ASR (Anti-slip regulation) and hillholder (Hill start assistant)
- CWA (Crosswind Assistant) and PCB (Multi-collision brake)
- Traction+, Hill Descent Control
- Comfortable driving characteristics thanks to rear and front axle stabilisers
- Cruise Control
- Front Wheel Drive
- Electric and heated exterior mirrors
- Daytime running lights integrated in the standard headlights
- Black frame headlights
- Fog lights
- FIAT 16" alloy wheels black matt Light Chassis
- Front bumper painted in body color
- Skid plate black
- Driver and passenger airbag
- Dashboard with applications (Techno-Trim)
- Manual cab air conditioning
- Electric windows and central locking in the cab
- Steering wheel and gear knob in leather
- Steering wheel remote control for radio
- Radio preparation with speakers
- DAB radio antenna
- Cup holder in the center console
- USB socket (double)
- Fix & Go kit breakdown set

- Driver | passenger rotatable seat with double armrests
- Height and tilt adjustment for the driver's and passenger seat
- 60l fuel tank

### Etrusco Exterior equipment

- 7 year tightness guarantee <sup>4)</sup>
- Outer roof and rear skin made from durable GRP
- Floor with GRP cover
- Roof thickness 33 mm, wall thickness 34 mm, floor thickness 42 mm
- Side wall outer skin made of smooth aluminum sheet
- Fly screen door
- Electric step
- Elegant three-part rear light bracket with integrated lights
- High-quality body door with window and ergonomic handle position inside and outside
- Panorama roof hood over seating area
- Clear glass roof hood 40x40
- Double glazed hinged window with blackout blind and flyscreen (except for bathroom)
- Second garage door (size depending on model)
- Generous rear garage with lowered frame, securing eyes and interior lighting (depending on the model)
- Rear garage payload up to 150 kg

### Etrusco Interior equipment

- Ergonomically shaped upholstery for more seating comfort
- High quality rear bed application with LED lighting
- High quality mattresses with increased comfort
- Removable and washable mattress covers
- Wooden slatted frame in all fixed beds for increased comfort
- Bed conversion in seating area
- Comfortable overcab bed with side window on the right
- Foldable overcab bed for better access to the driver's cab
- Safety nets on the overcab bed
- Generous storage spaces and storage options
- Ventilated storage cupboards and chests
- Overhead lockers with soft-close system
- Tela Sand and White furniture finish
- Nautic Breeze floor

### Installation & Technology

- LED lighting integrated under the overhead lockers
- LED living room light
- LED outdoor light
- Powerful, maintenance-free body battery (95 Ah)
- On-board control panel
- Electric charger for body and vehicle battery 12 V | 18 A
- CEE external connection for 230 V with automatic circuit breaker
- FI circuit breaker
- USB socket

### Heating | Gas Supply

- Storage space for 2 gas cylinders with max. 11 kg filling weight
- Combi 6 gas heating with integrated 10 l boiler
- Gas shut-off cocks are easily accessible and centrally located

### Kitchen | Water Supply

- Ergonomically arranged kitchen with a generous work surface
- Spacious drawers with Servo-Soft in the kitchen block
- 3-burner gas cooker with 12 V ignition and glass cover
- Large round sink made of stainless steel with cover
- Indirect LED lighting under the worktop
- Refrigerator 78 l with 11 l freezer compartment
- Flex rail system with 2 hooks
- Water tank including boiler 110 l, waste water tank 90 l
- Bin

### Bathroom

- Comfortable and spacious bathroom
- Cassette toilet with electric pump and swivel seat
- Shower room cladding
- Roof hood with integrated flyscreen
- Large mirror surfaces
- Clothes rail in the wet room

### Textile combination

- Upholstery Aosta (grey)

A-Model Fiat | Optional Extras

	Additional weight*	A 7300 DB
Chassis & Engine Fiat		
Fiat Ducato 2,2 l Multi-Jet - 103 kW   140 bhp - automatic transmission (light chassis) <sup>27)</sup>	60	O
Fiat Ducato 2,2 l Multi-Jet - 132 kW   180 bhp - automatic transmission (light chassis) <sup>27)</sup>	60	O
Increase of load capacity		
Weight increase to 3,650 kg (without changing the chassis)	0	O
Etrusco Exterior equipment		
Framed window	5	O
Rear Styling Panels	4	O
Design application for alcoves	6	O
Insulated waste water tank	2	O
Etrusco Interior equipment		
Isofix child seat attachment for rear seat	4	O
Carpet (Living Area)	7	O
Gas oven <sup>34)</sup>	14	O
Large 156l fridge with separate freezer compartment 29l	14.5	O
Safety package: 2 headrests and 2 lap belts middle. Seat against the direction of travel (permissible number of people results from vehicle weight) <sup>14)</sup>	8	O
Installation & Technology		
Combi 6 E Heater (with electric immersion heater)	2	O
Electric floor heating in the accessible area	5	O
12 V TV pre-cabling including flat screen holder	3	O
Cable preparation for reversing camera	1	O
Cable preparation for rooftop air conditioner	5	O
Cable preparation for solar system	1	O



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

A-Model Fiat | Optional Extras

Packages

Comfort Package <sup>35)</sup>	6.95	O
Design Package type X	0	O

Others

Registration documents	0	®
------------------------	---	---

Additional weight\*

A 7300 DB

□ Available in package    △ Not known at the time of publication    O Option    ® mandatory    - Not possible



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## A-Model Fiat | Packs

### COMFORT PACKAGE + 6.95 KG\*

- Mirror and coat hooks
- Wooden slatted shower
- Cab seats incl. covers
- Socket in the kitchen block
- Socket in the garage

### DESIGN PACKAGE TYPE X + 0 KG\*

- type X lettering | design interior and exterior
- Overhead locker door design in high gloss magnolia
- Upholstery Emilia (beige)



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal Information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## I-Model Fiat | Prices and technical data

	I 6900 SB	I 7400 SB
Length   Width   Height (cm)	695   232   295 <sup>1)</sup>	740   232   295 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,2l Mjet	2,2l Mjet
kW (hp)	103 (140)	103 (140)
Chassis	Fiat Ducato	Fiat Ducato
Mass in running order* (kg)	2915 (2769 - 3061)*	3004 (2854 - 3154)*
Manufacturer-specified mass for optional equipment* (kg)	205	122
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	225 75 R16CP	225 75 R16CP
Wheel base (cm)	380	404
Permitted number of seats (including driver)*	4	4
Sleeping places	4 - 5 OPT	4 - 5 OPT
Single Beds (cm)	200 x 80   195 x 80	210 x 80   205 x 80
Bed conversion from single to double bed (cm)	200 - 195 x 210	210 - 205 x 210
Queens bed (cm)		
Bed conversion seating group (cm)	200 x 60 OPT	200 x 60 OPT
Pull-down bed (cm)	193 x 150	193 x 150
Fridge   volume freezer (l)	137   15	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	4	4
Power outlets 12 V	1	1
Sockets USB	4	4
Light dimension storage flap   Storage flap W x H right   left (cm)	95 x 110   75 x 80	95 x 110   75 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg


OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## I-Model Fiat | Prices and technical data

	I 7400 SBC	I 7400 QBC
Length   Width   Height (cm)	740   232   295 <sup>1)</sup>	740   232   295 <sup>1)</sup>
Internal height (cm)	210	210
Standard engine	2,2l Mjet	2,2l Mjet
kW (hp)	103 (140)	103 (140)
Chassis	Fiat Ducato	Fiat Ducato
Mass in running order* (kg)	3041 (2889 - 3193)*	3023 (2872 - 3174)*
Manufacturer-specified mass for optional equipment* (kg)	90	108
Technically permissible maximum laden mass* (kg)	3500	3500
Technically permissible towing weight 12 % braked   unbraked (kg)	2000   750 <sup>2)</sup>	2000   750 <sup>2)</sup>
Tyres	225 75 R16CP	225 75 R16CP
Wheel base (cm)	404	404
Permitted number of seats (including driver)*	4	4
Sleeping places	4 - 5 OPT	4 - 5 OPT
Single Beds (cm)	204 x 80   208 x 80	
Bed conversion from single to double bed (cm)	204 - 208 x 210	
Queens bed (cm)		198 x 148
Bed conversion seating group (cm)	195 x 90 OPT	195 x 90 OPT
Pull-down bed (cm)	193 x 150	193 x 150
Fridge   volume freezer (l)	137   15	137   15
Fresh water tank capacity, total (fresh water tank at driving filling)   waste water tank (l)	110 (20)   90 <sup>3)</sup>	110 (20)   90 <sup>3)</sup>
Power outlets 230 V	4	4
Power outlets 12 V	1	1
Sockets USB	3	3
Light dimension storage flap   Storage flap W x H right   left (cm)	95 x 110   75 x 80	95 x 110   75 x 80
Storage space for gas cylinder (filling weight in kg)	2x 11kg	2x 11kg

OPT Option   Δ Not known at the time of publication   - Not possible   r right   l left



### \*INFO

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to +/- 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below the minimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

## I-Model Fiat | Standard equipment

### Chassis & Engine Fiat

- FIAT 2,2 I Multijet - 103 kW (140 bhp) - EURO 6e - manual transmission
- Start & Stop Function
- Broad gauge chassis
- Comfortable driving characteristics thanks to rear and front axle stabilisers
- Disc brakes, rear and front axle stabiliser, convection heating, tachometer
- Power steering, height-adjustable headlights, immobiliser, 3-point seat belt with seat belt reminder (for Captain Chairs)
- ABS, EBD (electronic Brake force distribution), ESP (electronic Stability program)
- ESC (electronic Stability control) including ASR (Anti-slip regulation) and hillholder (Hill start assistant)
- CWA (Crosswind Assistant) and PCB (Multi-collision brake)
- Traction+, Hill Descent Control
- Cruise Control
- Front Wheel Drive
- LED-Daytime running lights
- FIAT 16" alloy wheels black matt Light Chassis
- All-round panoramic laminated glass windshield
- Low-vibration, electrically adjustable and heated exterior mirrors in coach optics with wide angle
- Driver and passenger airbag
- Manual cab air conditioning
- Dashboard with applications (Techno-Trim)
- Steering wheel remote control for radio
- Steering wheel and gear knob in leather
- Cup holder in the center console
- USB socket (double)
- Fix & Go kit breakdown set
- Driver | passenger rotatable seat in living area fabric with double armrests
- Height and tilt adjustment for the driver's and passenger seat
- 60l fuel tank

### Etrusco Exterior equipment

- 7 year tightness guarantee <sup>4)</sup>
- Outer roof and rear skin made from durable GRP
- Floor with GRP cover
- Roof thickness 33 mm, wall thickness 34 mm, floor thickness 41 mm
- Side wall outer skin made of smooth aluminum sheet
- Elegant three-part rear light bracket with integrated lights
- Cab blinds for the best insulation and privacy
- Double glazed hinged window with blackout blind and flyscreen (except for bathroom)
- Driver's cabin door front left
- Large body door with window and ergonomic handle position inside and outside
- Clear glass roof hood 40x40 over the pull-down bed
- Panorama roof hood over seating area
- Clear glass roof hood 40x40
- Fly screen door
- Coupé entry
- Generous rear garage with lowered frame, securing eyes and interior lighting (depending on the model)
- Second garage door (size depending on model)
- Rear garage payload up to 150 kg

### Etrusco Interior equipment

- Ergonomically shaped upholstery for more seating comfort
- Cosy L-shaped seating group with freestanding, rotatable and swiveling table <sup>36)</sup>
- Cosy lounge seating group with a freestanding table that folds down <sup>37)</sup>
- High quality mattresses with increased comfort
- Bed conversion from single bed to double bed <sup>38)</sup>
- High quality rear bed application with LED lighting
- Removable and washable mattress covers
- Wooden slatted frame in all fixed beds for increased comfort
- Lift-up bed
- Mirror and coat hooks
- Generous storage spaces and storage options
- Overhead lockers with soft-close system
- Tela Sand and White furniture finish
- Nautic Breeze floor

### Installation & Technology

- LED outdoor light
- LED living room light
- LED lighting integrated under the overhead lockers
- Indirect LED lighting in the room divider
- Powerful, maintenance-free body battery (95 Ah)
- On-board control panel
- Electric charger for body and vehicle battery 12 V | 18 A
- CEE external connection for 230 V with automatic circuit breaker
- FI circuit breaker
- Socket in the kitchen block
- Socket in the garage
- USB socket

### Heating | Gas Supply

- Storage space for 2 gas cylinders with max. 11 kg filling weight
- Combi 6 gas heating with integrated 10 l boiler

### Kitchen | Water Supply

- Ergonomically arranged kitchen with a generous work surface
- Spacious drawers with Servo-Soft in the kitchen block
- 3-burner gas cooker with 12 V ignition and glass cover <sup>39)</sup>
- 2-burner gas cooker with 12 V ignition and glass cover <sup>37)</sup>
- Large round sink made of stainless steel with cover
- Flex rail system with 2 hooks
- Water tank including boiler 110 l, waste water tank 90 l
- Refrigerator 137 l with 15 l freezer compartment
- Indirect LED lighting under the worktop
- Bin

### Bathroom

- Vario-bathroom <sup>40)</sup>
- Spacious bathroom with separate shower opposite <sup>41)</sup>
- Shower room cladding
- Wooden slatted shower
- Cassette toilet with electric pump and swivel seat
- Roof hood with integrated flyscreen
- Large mirror surfaces
- Clothes rail in the wet room

### Textile combination

- Upholstery Aosta (grey)



## I-Model Fiat | Optional Extras

	Additional weight*	I 6900 SB	I 7400 SB	I 7400 SBC	I 7400 QBC
<b>Chassis &amp; Engine Fiat</b>					
Fiat Ducato 2,2 I Multi-Jet - 103 kW   140 bhp - automatic transmission (light chassis) <sup>27)</sup>	60	O	O	O	O
Fiat Ducato 2,2 I Multi-Jet - 132 kW   180 bhp - automatic transmission (light chassis) <sup>27)</sup>	60	O	O	O	O
<b>Increase of load capacity</b>					
Weight increase to 3,650 kg (without changing the chassis)	0	O	O	O	O
FIAT Ducato Heavy Chassis 4.400 kg only in conjunction with 180 bhp <sup>42)</sup>	40	O	O	O	O
<b>Etrusco Exterior equipment</b>					
Rear Styling Panels	4	O	O	O	O
Framed window	5	O	O	O	O
Insulated waste water tank	2	O	O	O	O
<b>Etrusco Interior equipment</b>					
Bed conversion in the seating area (single bed)	5	O	O	O	O
Electrically height-adjustable queen-size bed	30	-	-	-	O
5th seat on the side bench with seat belt (against the direction of travel) <sup>14)</sup> <sup>16)</sup>	15	O	-	-	-
Carpet (Living Area)	7	O	O	O	O
Isofix child seat attachment for rear seat	4	O	O	-	-
Isofix child seat attachment for Couch-Couch seating area	2	-	-	O	O
Gas oven	14	O	O	O	O
<b>Installation &amp; Technology</b>					
Combi 6 E Heater (with electric immersion heater)	2	O	O	O	O
Electric floor heating in the accessible area	5	O	O	O	O
12 V TV pre-cabling including flat screen holder	3	O	O	O	O
Cable preparation for reversing camera	1	O	O	O	O
Cable preparation for rooftop air conditioner	5	O	O	O	O



### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

## I-Model Fiat | Optional Extras

Cable preparation for solar system	1	O	O	O	O
<b>Packages</b>					
Design Package type X	0	O	O	O	O
<b>Others</b>					
Registration documents	0	Ⓟ	Ⓟ	Ⓟ	Ⓟ



□ Available in package    △ Not known at the time of publication    O Option    Ⓟ mandatory    - Not possible



### \*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.



## I-Model Fiat | Packs

### DESIGN PACKAGE TYPE X

+ 0 KG\*

- type X lettering | design interior and exterior
- Overhead locker door design in high gloss magnolia
- Upholstery Emilia (beige)



\*INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment shown in the model overviews. This is a calculated value for each type and layout that Etrusco uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal Information section. An increase of load

capacity increases the manufacturer-specified mass for optional equipment. The increase results from the higher pay-mass due to the alternative chassis. The increased tare weight of the alternative chassis and, in particular, the weight for any mandatory heavier engine variants (e.g. 180 hp) must be deducted from this. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnote.

Legal notes on weight-related information

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Etrusco configurator on our website offer you additional assistance in configuring your vehicle.

1. Technically permissible maximum laden mass

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. Mass in running order

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100 % in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100 % with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight – regardless of the actual weight – is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is ± 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions. These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Etrusco

makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Etrusco by weighing each vehicle at the end of the line.

3. Mass of the passengers

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore 3 \* 75 kg = 225 kg.

4. Optional equipment and actual mass of the vehicle

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer – i.e. ex works – and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works. The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order – as an element of the actual mass – is subject to a legally permissible tolerance of ± 5 % (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. Pay-mass and minimum pay-mass

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment (see no. 4 above) and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg ≥ 10 \* (n + L)  
Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg \* (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

• 3 500	kg	technically permissible maximum laden mass
- 2 850	kg	mass in running order
- 3*75	kg	mass of the passengers
- 100	kg	minimum pay-mass
= 325	kg	maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2 % above the nominal value:

• 3 500	kg	technically permissible maximum laden mass
- 2 907	kg	real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
- 3*75	kg	mass of the passengers
- 325	kg	optional equipment (maximum permissible value)
= 43	kg	actual load capacity (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Etrusco further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Etrusco.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Etrusco will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. Effects of tolerances of the mass in running order on the pay-mass

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, possibly 2 % higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

• 3 500	kg	technically permissible maximum laden mass
- 2 907	kg	real weighed mass in running order (+ 2 % compared to the stated value of 2,850 kg)
- 3*75	kg	mass of the passengers
- 150	kg	optional equipment ordered for the specific vehicle
= 218	kg	actual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

All prices include VAT ex works, plus approval documents and freight to the local trading company. Prices for special equipment are only valid for orders ex works. The specifications for dimensions and weights are approximate values. Subject to technical and design modifications. The images may show alternative designs and optional equipment for which additional costs may arise. They may also show furnishing items (e.g. tableware) which are not included in the retail price and are not sold by Etrusco. Some of the images in this catalogue show preproduction models instead of final standard version vehicles. Despite careful editorial control this catalogue may contain errors. The colours shown are subject to the limitations of the printing process and cannot be regarded as binding. Your local retailer will be pleased to give you more information about product

modifications which have been made after the printing of this catalogue. The prices printed in this brochure are valid until the next price announcement. The technical data given in this publication correspond in weight and dimensions as well as in the options and design to the level of knowledge and production at the time of printing (August 2024). Etrusco reserve the right at any time to make modifications or improvements to the product. Therefore, we recommend that during the information process and before completing the contract you consult our website, use our configurator and/or contact our Etrusco authorized dealer on possible modifications in comparison to the present publication. If you have any questions please do not hesitate to contact us or your local retailer.

## NOTE

- 1) The vehicle height changes with the installation of accessories on the roof, such as satellite antenna, solar panels, etc.
- 2) Towable mass for climbs not exceeding 12%.
- 3) Before starting your journey, check that the fresh water tank at driving does not exceed 20 litres.
- 4) The water ingress warranty conditions of Etrusco apply.
- 5) Except for V 5.9 DF
- 6) V 6.8 SCF
- 7) Except for V 6.8 SCF
- 8) T 7.3 SCF, T 7.3 QCF
- 9) T 6.9 SF, T 7.3 SF
- 10) Except for T 7.3 QCF
- 11) T 6.9 SF
- 12) Except for T 6.9 SF
- 13) With optional lift up bed the 50x70 roof hood is replaced with a 40x40 roof hood.
- 14) An optional 5th and/or 6th seat should be taken into account as a regular seat when calculating the minimum payload and passenger mass. To obtain a 5th and/or 6th seat, it must be ensured that the minimum payload is maintained and all other legal mass values are observed. For detailed information, please contact our trading partners.
- 15) Not in conjunction with Complete Selection.
- 16) Inside storage space flap is omitted when ordering 5th seat on side bench with seat belt.
- 17) Except for T 5900 FB.
- 18) T 7300 SB, T 7400 SB
- 19) T 7400 SBC, T 7400 QBC
- 20) T 5900 FB, T 6900 SB
- 21) Except for T 5900 FB, T 7400 QBC

- 22) T 5900 FB, T 7400 SBC, T 7400 QBC
- 23) T 6900 SB, T 7300 SB, T 7400 SB
- 24) T 5900 FB
- 25) T 6900 SB, T 7300 SB
- 26) T 7400 SB, T 7400 SBC, T 7400 QBC
- 27) When ordering the automatic transmission, the 16" aluminium wheel black matt (Light Chassis) is exchanged with the 16" aluminium wheel bicolor Heavy Chassis.
- 28) Indirect lighting in the entrance area instead of the cloakroom mirror. T 5900 FB
- 29) T 6.9 SB
- 30) T 6.9 BB
- 31) Only in conjunction with 16" alloy wheels bicolor heavy chassis.
- 32) When ordering the pull-down bed, please note that the LED living room light will be omitted.
- 33) Only in connection with automatic transmission or Heavy Chassis.
- 34) Only in connection with 156 l refrigerator.
- 35) Indirect lighting in the entrance area instead of the cloakroom mirror. A 7300 DB.
- 36) I 7400 SB
- 37) I 7400 SBC, I 7400 QBC
- 38) Except for I 7400 QBC
- 39) I 6900 SB, I 7400 SB
- 40) I 6900 SB
- 41) Except for I 6900 SB
- 42) With FIAT Heavy Chassis (only with wheelbase 3,450, 3,800 and 4,035 mm) and 180 bhp, the maximum possible mass is 4,400 kg

# For moments that last.



